CONTENTS

Special Issue: Pure and Applied Quantum Chemistry — A collection of invited papers in honour of Professor Rudolph Zahradník.

Preface ix

Shape and similarity: two aspects of molecular recognition
C. Amovilli (Oxford, Gt. Britain) and R. McWeeny (Pisa, Italy) 1
Main group atoms in the multiconfiguration SCF approach
R. Janoschek (Graz, Austria) 11
Chemical and reaction metrics for graph-theoretical model of organic chemistry
V. Kvasnička and J. Pospíchal (Bratislava, Czechoslovakia) 17
An analytical investigation into the BSSE problem
I. Mayer and L. Turi (Budapest, Hungary) 43
Dense indexing scheme for limited configuration-interaction calculations with determinantal basis
N. Bajpai, C.R. Sarma (Bombay, India) and J. Paldus (Waterloo, Ont., Canada) 67
The reduced graph model revisited
B. Jerman-Blažič (Ljubljana, Yugoslavia), S. Nikolić and N. Trinajstić (Zagreb, Yugoslavia) ... 79
Simple Gaussian-type *d* and *f* polarization functions in pseudopotential calculations
R. Gáspár and J. Szabó (Debrecen, Hungary) 87
Integral transformation on microcomputers utilizing the spatial symmetry of localized orbitals
E. Tfirst, C. Kozmutza and E. Kapuy (Budapest, Hungary) 93
Interpolation formulae for describing size dependence of properties of finite systems and their use for clusters and biologically important molecules
L. Skala (Albuquerque, NM, U.S.A.) 103
MRSD-CI calculations of deuteron quadrupole coupling constants for low-lying rovibrational levels of HD and D_2 in their $X^1\Sigma_g^+$ and $B^1\Sigma_u^+$ states
J. Vojtík, L. Češpiva, I. Paidarová and J. Šavrda (Prague, Czechoslovakia) 111
Informative energetic structure and electronic multistability of condensed state
S.A. Beznosyuk, B.F. Minaev and Z.M. Muldakhmetov (Karaganda, U.S.S.R.) 125
The model of librational motion in liquid water
E.S. Kryachko and O.E. Yanovitskii (Kiev, U.S.S.R.) 131
Lipid phase transition and relaxation phenomena
L. Valko and M. Valko (Bratislava, Czechoslovakia) 147
Modelling of dispersion and repulsion interactions in liquids
V. Frecer, S. Miertus and M. Májeková (Bratislava, Czechoslovakia) 157
Calculation and visualization of a reactivity index for organometallics based on the extended Hückel model
J. Weber, P. Fluekiger, D. Stussi and P.-Y. Morgantini (Geneva, Switzerland) 175
Quantum-chemical studies of the modification of the inversion-reaction pathway in SH_3^+ by substitution of hydrogen atoms with lithium atoms
S. Roszak, K. Strasburger and H. Chojnacki (Wroclaw, Poland) 187
An examination of the site–site representation of the He–H_2 and He–N_2 potentials
B. Hudson and J.N. Murrell (Brighton, Gt. Britain) 193
The environmental symmetry influence on molecular nitrogen activation
M. Breza and P. Pelikán (Bratislava, Czechoslovakia) 213
A diatomics-in-molecules study of the reaction $N^+ + H_2 \rightarrow NH^+ + H$
R. Polák (Waterloo, Ont., Canada) 219
Effect of reagent rotation on the dynamics of the H + DBr → HD + Br reaction
J. Tiňo, J. Urban and V. Klimo (Bratislava, Czechoslovakia) 241

CONTENTS

Special Issue: Pure and Applied Quantum Chemistry — A collection of invited papers in honour of Professor Rudolph Zahradník.

Preface ix

Shape and similarity: two aspects of molecular recognition
C. Amovilli (Oxford, Gt. Britain) and R. McWeeny (Pisa, Italy) 1
Main group atoms in the multiconfiguration SCF approach
R. Janoschek (Graz, Austria) 11
Chemical and reaction metrics for graph-theoretical model of organic chemistry
V. Kvasnička and J. Pospíchal (Bratislava, Czechoslovakia) 17
An analytical investigation into the BSSE problem
I. Mayer and L. Turi (Budapest, Hungary) 43
Dense indexing scheme for limited configuration-interaction calculations with determinantal basis
N. Bajpai, C.R. Sarma (Bombay, India) and J. Paldus (Waterloo, Ont., Canada) 67
The reduced graph model revisited
B. Jerman-Blažič (Ljubljana, Yugoslavia), S. Nikolić and N. Trinajstić (Zagreb, Yugoslavia) ... 79
Simple Gaussian-type *d* and *f* polarization functions in pseudopotential calculations
R. Gáspár and J. Szabó (Debrecen, Hungary) 87
Integral transformation on microcomputers utilizing the spatial symmetry of localized orbitals
E. Tfirst, C. Kozmutza and E. Kapuy (Budapest, Hungary) 93
Interpolation formulae for describing size dependence of properties of finite systems and their use for clusters and biologically important molecules
L. Skala (Albuquerque, NM, U.S.A.) 103
MRSD-CI calculations of deuteron quadrupole coupling constants for low-lying rovibrational levels of HD and D_2 in their $X^1\Sigma_g^+$ and $B^1\Sigma_u^+$ states
J. Vojtík, L. Češpiva, I. Paidarová and J. Šavrda (Prague, Czechoslovakia) 111
Informative energetic structure and electronic multistability of condensed state
S.A. Beznosyuk, B.F. Minaev and Z.M. Muldakhmetov (Karaganda, U.S.S.R.) 125
The model of librational motion in liquid water
E.S. Kryachko and O.E. Yanovitskii (Kiev, U.S.S.R.) 131
Lipid phase transition and relaxation phenomena
L. Valko and M. Valko (Bratislava, Czechoslovakia) 147
Modelling of dispersion and repulsion interactions in liquids
V. Frecer, S. Miertus and M. Májeková (Bratislava, Czechoslovakia) 157
Calculation and visualization of a reactivity index for organometallics based on the extended Hückel model
J. Weber, P. Fluekiger, D. Stussi and P.-Y. Morgantini (Geneva, Switzerland) 175
Quantum-chemical studies of the modification of the inversion-reaction pathway in SH_3^+ by substitution of hydrogen atoms with lithium atoms
S. Roszak, K. Strasburger and H. Chojnacki (Wroclaw, Poland) 187
An examination of the site–site representation of the He–H_2 and He–N_2 potentials
B. Hudson and J.N. Murrell (Brighton, Gt. Britain) 193
The environmental symmetry influence on molecular nitrogen activation
M. Breza and P. Pelikán (Bratislava, Czechoslovakia) 213
A diatomics-in-molecules study of the reaction $N^+ + H_2 \rightarrow NH^+ + H$
R. Polák (Waterloo, Ont., Canada) 219
Effect of reagent rotation on the dynamics of the H + DBr → HD + Br reaction
J. Tiňo, J. Urban and V. Klimo (Bratislava, Czechoslovakia) 241

The bicyclobutane radical cation revisited: electronic structure and mechanism of ring inversion
T. Bally (Fribourg, Switzerland) 249
Ab initio computation of the infrared spectra of alkoxycarbenes
B.A. Hess, Jr. (Nashville, TN, U.S.A.) and L. Smentek-Mielczarek (Toruń, Poland) 265
A theoretical study of the methanediol decomposition mechanism
S. Böhm, R. Navrátil and J. Kuthan (Prague, Czechoslovakia) 277
Influence of polar medium on the anomeric effect. Quantum chemical study using the ab initio continuum model
O. Kysel and P. Mach (Bratislava, Czechoslovakia) 285
An MNDO study of mechanisms of rapid intramolecular enantiomerization of bis-chelate Hg(II) complexes
V.I. Minkin, V.A. Pichko, I.A. Abubikerova and B.Ya. Simkin (Rostov on Don, U.S.S.R.) 295
Rehybridization in ethene ligand of Pt(II) in Zeise's anion
R. Řeřicha (Prague, Czechoslovakia) 305
The rearrangement of fluoromethylenecyclopropane
A. Skancke, L.J. Schaad and B.A. Hess, Jr. (Nashville, TN, U.S.A.) 311
Structure and tautomerism of maleic hydrazide
H.-J. Hofmann (Leipzig, F.R.G.), R. Cimiraglia, J. Tomasi and R. Bonaccorsi (Pisa, Italy) 321
A molecular-orbital study of the structure–activity relationships of some imidazolidines related to clonidine
T.J. Mitchell and , G.A. Webb (Guildford, Gt. Britain) and M.S. Tute (Kent, Gt. Britain) 327
Ab initio studies on hydrogen-bonded trimers: structure and vibrational spectra of $HCN(HF)_2$ and $(HCN)_2HF$
A. Karpfen, I.J. Kurnig and H. Lischka (Vienna, Austria) 337
Magnetic circular dichroism of cyclic π-electron systems Part 30. Thialene and isothialene
K.A. Klingensmith, J. Michl (Austin, TX, U.S.A.), R.F.X. Klein and V. Horak (Washington, DC, U.S.A.) and A.G. Anderson (Seattle, WA, U.S.A.) 351
A comparative study of the hydration effect on the conformational and electronic aspects of bicuculline and GABA
D. Majumdar and S. Guha (Calcutta, India) 363
Theoretical studies of the conformations and interaction properties of neutral lipid molecules: glycerylmonooleate
J. Wang and A. Pullman (Paris, France) 379

Author Index 401

Subject Index 403